

# BURNSVILLE DEER MANAGEMENT PROGRAM

Prepared by: City of Burnsville Natural Resources Staff  
Reviewed By: Kimley-Horn and Associates, Inc.

*2017-2018  
Program Year  
Annual Report*

## Introduction

The City of Burnsville (City) prepared a Natural Resources Master Plan in 1999 which identified the need for a citywide deer management program, especially for areas where woodland restoration or regeneration is a high priority objective. This, along with concerns regarding the biological integrity of the City's natural areas, increasing complaints about nuisance deer, car/deer crashes, and concern over the long-term health of the deer herd, initiated the preparation of a deer management program for Burnsville.

The Burnsville Deer Management Program (Program) was adopted in September 2001 to minimize conflicts between deer, habitat, and residents. The Program provided recommendations in four key areas: education, monitoring, population control, and deer feeding issues. The Program runs from April 1<sup>st</sup> of one year to March 31<sup>st</sup> of the following year. This schedule allows Program activities (archery hunts, aerial counts, sharpshooting removals, etc.) to coincide with the appropriate seasons (aerial counts completed with snow cover, archery hunts during the deer rut, sharpshooting completed during the winter to minimize the impact on residents who use the parks).

This annual report has been prepared to document the Program activities during the 2017-2018 Program Year. This report also provides recommendations for the 2018-2019 Program year.

## Education

The Program made a number of recommendations regarding education – including use of the City's website, City's newsletter, and a neighborhood workshop. The intent of the education component is to disseminate information to the community regarding the Program, feeding ban, and other deer related topics, and to provide residents with tools to cope with deer on their property.

Program information is available on the City's website ([www.burnsville.org](http://www.burnsville.org)) and can be found with the Wildlife Section of the City's Natural Resources Department webpage. Information regarding the Program and feeding ban is periodically included in the City's newsletter, the *Burnsville Bulletin*.

## Monitoring

Annually monitoring the deer population, car/deer crashes, depredation complaints, and habitat diversity are all key components to managing the deer population within the city. The following section presents the monitoring data collected during 2017 and early 2018.

### *Aerial Counts*

Typically, an aerial deer survey is conducted every winter to count the deer population within Burnsville. This survey requires adequate snow depth to maximize deer visibility. In past years, the survey was conducted by City staff. Due to staff limitations, the City partnered with Three Rivers Park District (Park District) to complete the survey this year. In addition to flying aerial deer surveys for their own park system, the wildlife department of the Park District also assists cities throughout the metro area with their deer population counts. The Park District's survey method is similar to the method the City has been using in past years, but there are some minor differences. Compared to the City's previous survey method, the Park District's method may result in additional survey time spent in some survey areas. The additional time spent in each area may result in more deer being counted as compared to the City's previous method. As a result, this year's count may not be directly comparable to previous count results (more of the deer present are observed and counted with the Park District's method).

Park District staff conducted the Burnsville deer survey on January 24, 2018. There were 313 deer counted within the survey area. The approximate locations of deer seen during the survey are mapped in **Figure 1. Table 1** shows a comparison of the aerial count data per management unit from 2007 through early 2018. Generally, the survey areas were consistent with what was surveyed in previous years including fifteen deer within Alimagnet Park outside of the City limits.

**Table 1: Comparison of Annual Aerial Count Data for 2007 through Early 2018**

Units	Aerial Counts											
	2007	2008	2009	2010	2011	2012 <sup>a</sup>	2013	2014	2015	2016	2017	2018
NW	0	46	26	26	43	56	14	70	45	1	1	64
WC	14	16	18	12	4	0	22	7	17	0	0	17
SW	50	39	54	94	87	98	83	53	49	29	30	70
NE	78	107	75	127	95	62	72	62	37	12	16	83
EC	29	36	22	2	13	8	27	20	12	14	12	39
SE	9	1	3	0	0	0 <sup>b</sup>	8	4	12	0	0	40
<b>Total</b>	<b>180</b>	<b>245</b>	<b>198</b>	<b>261</b>	<b>242</b>	<b>221<sup>ab</sup></b>	<b>226<sup>c</sup></b>	<b>216<sup>c</sup></b>	<b>172<sup>c</sup></b>	<b>56<sup>c</sup></b>	<b>59<sup>ac</sup></b>	<b>313<sup>c</sup></b>

<sup>a</sup> Represents a population estimation based on previous year's count (as no aerial count was completed due to poor snow conditions).

<sup>b</sup> Based on population and actual removal; total reflects 3 deer removed from Southeast Management Unit.

<sup>c</sup> Aerial count including incidentally observed deer within 0.25 miles of the city limits. Deer observed as a part of a systematic search of areas outside the City were not included.

Prior to this past survey year, the City has applied the same aerial survey methodology since the program began. The survey method used by Park District this year is similar to the City's past survey method and is still subject to the same limitations. Large differences in aerial deer counts from year to year are often the result of a combination of variables, such as observational bias and the distribution of the local herd at the time the counts were undertaken. In some years, the deer herd may temporarily concentrate in areas adjacent to but outside of the City limits. Combined with other factors such as weather severity, these seasonal movements can impact the aerial deer count numbers. The difference between the last three years can be attributed to a low count number in 2016, no count in 2017, and a more intensive count method applied in 2018. The aerial survey is intended to represent the minimum number of deer present, not provide an exact count of the deer population within the City. The aerial count provides the baseline data from which management decisions can be made.

In some years, other agencies like the U.S. Fish and Wildlife Service (USFWS) conduct deer surveys in areas adjacent to Burnsville. This year, along with completing the aerial deer survey for the City, the Park District conducted surveys at Murphy Hanrehan Park, the City of Bloomington portion of the Minnesota River Valley, and within Fort Snelling Park in Eagan.

### Crash Data

The total minimum number of car/deer crashes for each year is determined by combining Police records with non-overlapping animal control carcass pickups. The total is considered the minimum number of crashes that occurred since some car/deer collisions go unreported. In 2017, the total minimum number of car/deer crashes was 27. That were 8 fewer crashes than were reported in 2016. A summary of the 2017-2018 crash data by management unit is provided in **Table 2**. **Figure 2** shows the distribution of car/deer crashes and/or deer carcass removals within the City.

The minimum car/deer crash total came from several sources. There were 14 car/deer crashes reported by the City Police Department in 2017. State deer/car crash records were not available when this report was completed so the state crash records are not included in the 2017 totals. State records historically represented a very small proportion of the total crash reports. In addition to Police Department records, data from the City's animal control contractor was also collected. This data documents each deer carcass retrieved during 2017. The animal control contractor data included 15 deer carcasses removed from the city of which 13 appear to be unique and not overlapping with police department crash reports.

**Table 2: Comparison of Deer/Car Crash Data for 2005 through Early 2018**

Units	Crashes <sup>a</sup>												
	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017
NW	3	2	1	2	0	4	1	1	3	1	0	0	0
WC	10	6	4	4	6	4	5	3	8	11	4	2	1
SW	11	11	13	6	6	10	7	14	9	10	13	9	11
NE	12	10	5	6	6	7	4	4	1	4	4	5	3
EC	14	13	5	10	16	9	9	16	9	6	7	6	7
SE	8	13	5	2	5	10	3	7	2	9	2	12	5
<b>Total</b>	<b>58</b>	<b>55</b>	<b>33+5 b=38</b>	<b>30+2 b=32</b>	<b>39</b>	<b>44+1 b=45</b>	<b>29</b>	<b>45</b>	<b>32</b>	<b>41</b>	<b>30+2 b=32</b>	<b>34+1 b=35</b>	<b>27</b>

<sup>a</sup> Crash numbers include reported crashes and non-overlapping carcass removals.

<sup>b</sup> Indicates carcass collection data that could not be identified by location due to incomplete information.

### Monitoring Report Forms

The City created a Deer Monitoring Report Form in October 2001 to provide supplemental information on the deer population. The monitoring form includes four categories for reporting information. The categories are deer depredation (i.e., damage to vegetation), general observation of deer presence and behavior, deer carcass reports or vehicle/deer crash reports, and an “other” category. The “other” category has included past comments regarding the Program, feeding ban violations, offers to provide hunting access, and miscellaneous information related to deer management.

In 2012, the City made the reporting forms available electronically, meaning residents no longer need to come into the City office to fill out a form. The forms are now submitted electronically to City staff through forms available on the City website. City staff also submit monitoring reports on behalf of residents who call or email staff directly with general observations or complaints related to deer.

In 2017-2018, two reports (2) were submitted to or recorded by the City. The reports were both from the Southeast Management Unit and were categorized as a depredation/property damage complaint. Both reports involved landscaping depredation issues and observations of large groups of deer (12 deer or more). **Table 3** provides a comparison of the total number of depredation complaints from 2006 through early 2018 per management unit.

**Table 3: Comparison of Depredation Complaints for 2006 through 2018**

Units	Depredation Complaints												
	2006	2007	2008	2009	2010	2011	2012	2013 -	2014 -	2015 -	2016 -	2017 -	2018
NW	0	0	0	0	0	0	0	0	2	0	0	0	0
WC	0	1	2	0	0	0	1	1	0	0	0	0	0
SW	0	0	0	0	0	0	0	0	0	1	0	0	0
NE	2	0	2	1	0	0	1	3	0	0	0	0	0
EC	0	0	0	0	0	1	0	2	0	2	1	0	0
SE	0	0	0	0	0	0	0	1	0	1	0	2	2
<b>Total</b>	<b>2</b>	<b>1</b>	<b>4</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>7</b>	<b>2</b>	<b>4</b>	<b>1</b>	<b>2</b>	<b>2</b>

### Exclosure Data

Since 2001, The City has conducted a demonstration study on deer impacts to vegetation in Terrace Oaks Park. To look at impacts by deer, some study plots are fenced (exclosed) to prevent deer browse and other study plots are unfenced (non-exclosed) so deer can browse freely. In an analysis of the survey results from 2001 through 2015, the City found that deer were having an impact on the vegetation at the

park. The average yearly percent cover of native understory plant species was much higher in the fenced plots versus the unfenced plots, indicating that deer browse may have reduced the native vegetative cover in unfenced plots. Specific plant species also showed differences between fenced and unfenced plots, such as the native gooseberry shrub. Gooseberry, for one, showed higher yearly percent cover in the fenced plots compared to the unfenced plots. This may indicate deer are preferentially feeding on some plant species more than others. Plant species preferred by deer are more negatively impacted than those that are less preferred.

During the 2016-2017 Program year, the City modified the study to look at additional factors that impact vegetation growth at the park. An active savanna restoration project has been initiated adjacent to the current study plots. This restoration has involved the removal of fire intolerant weedy tree species (e.g. - box elder, elm), the introduction of controlled burns and the supplemental seeding of a diverse mixture of native wildflowers and grasses. These restoration practices were expanded to the study plots so they can be used to test the impacts of various restoration techniques (e.g. - controlled burns, supplemental native seeding), as well as to continue to test the impacts of deer.

In winter of 2015-2016, fire intolerant trees were removed from the vicinity of the study plots. In fall of 2017, a controlled burn and supplemental native seeding occurred within study plots that have been selected for those treatments. As this was only the second year of data collection for the re-designed study, it is not yet possible to present any findings. As more data is collected over time, the study plots will allow greater insight into how deer impact active habitat restoration projects.

## Population Control

The Program approved two primary population control strategies: archery hunting and sharpshooting. Based on the projected population for November 2017 (as presented in the 2016-2017 Annual Report), 16 deer were recommended to be removed through a combination of methods during fall/winter 2017-2018.

### *Archery Hunts Organized by the City*

In an effort to make the archery hunting program as effective as possible, changes to the City's firearms ordinance were made in 2003 as suggested in the adopted Program. This ordinance modification allows opportunity for more private landowners in the southwestern portion of the city to archery hunt on their property per current DNR hunting regulations. The ordinance states that the discharge of a bow must be 200 feet from a property line, rather than the previous 500 feet.

In the summer of 2012, the City Council adopted the ordinance amending Title 6, Chapter 4 of the Burnsville City Code Establishing a Permit System for Archery Hunting adjacent to City Parks. The ordinance states that "the City Manager may authorize hunting on or within two hundred feet (200') of city park property by permit issued under Section 8-6-4 of this Code, in conjunction with special hunting seasons in closed park areas as specified in paragraph (J), with additional conditions in the discretion of the Manager." This amendment to the City Code was done to encourage landowners with property adjoining to a park with special hunting seasons to participate alongside the hunt. In 2017, one resident applied for a special hunting permit.

At this time, neither the City nor DNR has a method of tracking the number of deer taken within the city by hunters on private property. During a joint informational meeting held in 2012 with the residents of the Southwest Management Unit, the City encouraged hunters in the area to report number of deer taken so the City could track harvest on private properties. For the 2017-2018 Program year, City staff received no feedback from landowners or hunters on private property.

In the fall of 2017, the City sponsored an archery deer hunt on public land within Kelleher Park. The Burnsville archery hunts, coordinated by the Minnesota Bowhunters Resource Base, were conducted over four periods between September 28 and November 11. A total of 8 deer were harvested from the park, as shown in **Table 5**. Of the 8 deer harvested, 5 were female (3 adults, 2 juvenile) and 3 were male (3 adults and 0 juveniles).

### Archery Hunts Organized by Other Jurisdictions

Three Rivers Park District held a Special Permit Archery Hunt at Murphy-Hanrehan Park Reserve in fall of 2017. The hunt was conducted October 27 through October 29 and harvested 23 deer. Much of the regional park is located outside the Burnsville city limits, thus it is likely that only a small portion of the deer taken during the hunt were within the City. For recording purposes, it is estimated that 10% of the Murphy-Hanrehan deer harvest occurred within the Burnsville city limits (2 deer).

**Table 4: 2017 Burnsville Archery Hunts**

Location	Hunt Period	Adult Female	Female Yearling	Adult Male	Male Yearling	Total
<b>Kelleher Park (Archery hunts)</b>	9/28 - 9/30	3	2	0	0	5
	10/12 - 10/14	0	0	0	0	0
	10/26 - 10/28	0	0	2	0	2
	11/9 - 11/11	0	0	1	0	1
<b>Murphy-Hanrehan Regional Park (Archery Hunt)</b>	10/27 - 10/29	1 <sup>a</sup>	0	1 <sup>a</sup>	0	2 <sup>b</sup>
<b>Total</b>	---	<b>4</b>	<b>2</b>	<b>4</b>	<b>0</b>	<b>10</b>

<sup>a</sup> Sex and age of deer was based on information provided by Three Rivers Park District (percentage of bucks vs. does taken within the entire park).

<sup>b</sup> Based on estimate that 10 percent of District harvest occurred within Burnsville portion of the park. Specific harvest locations are not recorded during the hunt therefore data on harvest within City of Burnsville limits is not available.

### Winter 2017-2018 Sharpshooting

During some winters, the City of Burnsville Police Department conducts sharpshooting to reduce the deer population, based on goals set by the annual report. During winter 2017-2018, only the East Central Unit had any potential sharpshooting harvest but the maximum removal was 5 deer. Due to this low harvest potential, it was determined that it was not worth the effort to initiate the sharpshooting program for 2017-2018; therefore, no deer were harvested.

### Population Control Efforts by Other Jurisdictions

The USFWS periodically performs deer removals within the Minnesota Valley National Wildlife Refuge. No deer removals were conducted in the Burnsville portion of the refuge in 2017.

### Population Control Summary

The total number of deer removed from each management unit within the City by archery hunting and sharpshooting is summarized in **Table 5**, along with the target removal goals that were established for the past program year.

**Table 5: 2017/2018 Removal Results**

Units	Recommended Fall/Winter 2017/2018 Harvest <sup>a</sup>	Fall 2017 Archery Hunting	Winter 2017/2018 Sharpshooting	Total Deer Removed in Fall/Winter 2017/2018
NW	0	0	0	0
WC	0	0	0	0
SW	16	10	0	10
NE	0	0	0	0
EC	0	0	0	0
SE	0	0	0	0
<b>Total</b>	<b>16</b>	<b>10</b>	<b>0</b>	<b>10</b>

<sup>a</sup> Based on adjusted 2017 deer counts, projected population for November 2017, and program goal of 15-25 deer per square mile of preferred habitat (as presented in the 2016-2017 Annual Report).

## Feeding Ban

A feeding ban ordinance was approved by the City on September 17, 2001. The purpose of the feeding ban is to discourage residents from placing corn or other grains in amounts and locations that would attract deer to the area. One violation to the feeding ban ordinance was reported and followed up on in 2017. Violations are followed up on with a notification letter and further enforcement action if needed. **Table 8** identifies the number of feeding ban violations per program year.

**Table 6. Feeding Ban Violations per Program Year**

Program Year	Feeding Ban Violations
2001	2
2002	1
2003	3
2004	1
2005	5
2006	0
2007	1
2008	0
2009	0
2010	0
2011	1
2012-2013	0
2013-2014	2
2014-2015	0
2015-2016	0
2016-2017	2
2017-2018	1

## Recommendations for Program Year 2017-2018

### Education

The city has hosted deer related workshops in the past; however, based on low workshop turnout in both 2002 and 2003, no further workshops are planned. Deer management information from past workshops can be provided to individual citizens as requested. It is recommended that the City continue to provide information via the website and the City Bulletin. Information regarding the City's monitoring report program and feeding ban, including reasons for the ban, should be a priority.

### Monitoring

It is recommended to continue collecting annual aerial counts, crash data, exclosure observations, monitoring report forms, and to continue generating and exhibiting annual reports. It is also recommended that carcass removal data continue to be collected from the City's animal control contractor on an annual basis. The carcass removal data helps identify car/deer crashes, which are typically under-reported.

The availability of the monitoring report form should be periodically discussed in the City Bulletin in order to promote resident feedback on the Program and to encourage submission of deer observations. This information is helpful when reviewing aerial counts and crash data. It can also potentially aid in identifying additional access points for sharpshooters during population control efforts.

### Population Control

Based on the results of the aerial survey conducted on January 24, 2018, a population projection was calculated for November 2018. The fall projection accounts for typical reproduction and mortality factors and is similar to methods used by the DNR. The population projection was then used to establish a Program year 2018-2019 harvest goal. The DNR is currently evaluating the City's deer population projection and removal goals for the 2018-2019 Program year.

Table 7 provides a breakdown (by management unit) of the Program's ongoing deer management density goals, the 2018 aerial count results (January), the 2018 fall projected population (November), and the minimum removal recommendations for the 2018-2019 Program year.

**Table 7: Program Year 2018-2019 Population Control Recommendations**

Units	Management Program Goal (15-25 deer/mi <sup>2</sup> )	2018 Aerial Population Count (January)	Projected 2018 Population (November)	Potential Fall/Winter 2018-2019 Harvest Range <sup>a</sup>	Recommended Minimum Fall/Winter 2018-2019 Harvest
NW	11-19	64	86	67-75	<b>NO ACCESS</b>
WC	3-6	17	23	17-20	<b>17</b>
SW	25-42	70	95	53-70	<b>53</b>
NE	31-52	83	112	60-81	<b>60</b>
EC	12-20	39	53	33-41	<b>33</b>
SE	4-7	40	54	47-50	<b>47</b>
<b>Total</b>	<b>86-146</b>	<b>313</b>	<b>423</b>	<b>277-337</b>	<b>210</b>

<sup>a</sup> Based on the projected population for November 2018, and the program goal of 15-25 deer per square mile of preferred habitat.

It is recommended that the Program's ongoing archery hunting strategy be continued in the fall of 2018. The primary focus should be in the Southwest Management Unit. The guidelines and polices of the hunts should be refined based on the observations and suggestions made during the 2017 archery hunts. The minimum goal for fall/winter 2018-2019 should be to harvest up to 53 deer in the Southwest Unit. Archery hunting activities in the Southwest Management Unit should continue to be coordinated with the Three Rivers Park District.



It is also recommended that sharpshooting be conducted utilizing the Burnsville Police Department in the West Central, Northeast, East Central and Southeast Units. Due to no available access in the Northwest Unit, sharpshooting will not occur in this area. Between archery hunting and sharpshooting, the Program goal for fall/winter 2018-2019 should be to harvest a minimum of 210 deer. An additional 54 deer could be removed if funding allows. The additional harvest should be implemented as needed and up to the recommended maximum removal per specified for each unit. Although the City will seek to meet the minimum harvest levels in each unit, this goal may be difficult to reach due to a limited number of sites where sharpshooting can be conducted.

### ***Feeding Ban***

No changes to the deer feeding ban are recommended. It is recommended to continue to provide information to the public regarding the ban and continue to monitor and follow-up on feeding complaints as they occur.